




PVC-U pressure fittings

90° reducing cross compression fitting outlet ITEM 894

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1001800	90° RED. CROSS COMP. FITTING OUTLET 50-20-20-50	0.258	0.03129	5.74	20
1001801	90° RED. CROSS COMP. FITTING OUTLET 50-25-25-50	0.30585	0.03129	6.69	20
1001802	90° RED. CROSS COMP. FITTING OUTLET 63-20-20-63	0.38641	0.04717	8.37	20
1001803	90° RED. CROSS COMP. FITTING OUTLET 63-25-25-63	0.42541	0.04717	9.15	20
1001806	90° RED. CROSS COMP. FITTING OUTLET 90-32-32-90	1.1422	0.03648	6.305	5
1001807	90° RED. CROSS COMP. FITTING OUTLET 90-63-63-90	1.9248	0.06347	10.454	5





ITEM 894 | 90° reducing cross compression fitting outlet

CÓDIGO	A-a	PESO (g)	B	C	D	PN	MEDIDA
01800	50-20	210	60	88	114	PN16	MÉTRICO
01801	50-25	226	60	91	114	PN16	MÉTRICO
01802	63-20	320	76	95	141	PN16	MÉTRICO
01803	63-25	368	76	98	141	PN16	MÉTRICO
01806	90-32	1080	108	122	199	PN16	MÉTRICO
01807	90-63	1645	108	168	199	PN16	MÉTRICO



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es