



'Basic' ball valves

BASIC BALL VALVE FEMALE THREAD - MALE SOLVENT SOCKET OUTLET PE ITEM 777



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1011608	VALV. ENLACE ENC. MACHO-R/HEMBRA 20-1/2"	0.155	0.022435	6.52	40
1011609	VALV. ENLACE ENC. MACHO-R/HEMBRA 25-3/4"	0.197	0.022435	8.2	40
1011610	VALV. ENLACE ENC. MACHO-R/HEMBRA 32-1"	0.324	0.03682	10.34	30
1011611	VALV. ENLACE ENC. MACHO-R/HEMBRA 40-1 1/4"	0.557	0.03129	11.75	20
1011612	BALL VALVE MALE PLAIN/ FEMALE TH. 50-1 1/2"	0.911133	0.03682	14.24	15
1011613	BALL VALVE PLAIN MALE/ THREAD FEMALE 63-2"	1.365	0.0446	14.35	10



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 777 | BASIC BALL VALVE FEMALE THREAD - MALE SOLVENT SOCKET OUTLET PE

C??DIGO	f	PESO (g)	DN	A	B	C	D	F	G	PN	TIPO ROSCA
11608	20-1/2"	155	15	98	52	16	78	47	17	PN16	BSP
11609	25-3/4"	197	20	107	59	19	84	51	20	PN16	BSP
11610	32-1"	324	25	131	70	23	97	66	23	PN16	BSP
11611	40-1 1/4"	557	32	150	84	25	128	72	26	PN16	BSP
11612	50-1 1/2"	830	40	167	99	31	142	77	33	PN16	BSP
11613	63-2"	1365	50	186	121	38	165	90	29	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es