



'Basic' ball valves

BASIC BALL VALVE FEMALE THREAD - MALE SOLVENT SOCKET OUTLET PTFE ITEM 780



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1011628	BALL V. MALE SOCKET/FEMALE THR. 20-1/2" PTFE	0.155	0.022435	6.52	40
1011629	BALL V. MALE SOCKET/FEMALE THR. 25-3/4" PTFE	0.197	0.022435	8.2	40
1011630	BALL V. MALE SOCKET/FEMALE THR. 32-1" PTFE	0.324	0.03682	10.34	30
1011631	BALL V. MALE SOCKET/FEMALE THR. 40-1 1/4" PTFE	0.557	0.03129	11.75	20
1011632	BALL V. MALE SOCKET/FEMALE THR. 50-1 1/2" PTFE	0.89	0.030537	13.8469	15
1011633	BALL V. MALE SOCKET/FEMALE THR. 63-2" PTFE	1.42	0.04717	14.88	10



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 780 | BASIC BALL VALVE FEMALE THREAD - MALE SOLVENT SOCKET OUTLET PTFE

C??DIGO	f	PESO (g)	DN	A	B	C	D	F	G	PN	TIPO ROSCA
11628	20-1/2"	155	15	98	52	16	78	47	17	PN16	BSP
11629	25-3/4"	197	20	107	59	19	84	51	20	PN16	BSP
11630	32-1"	324	25	131	70	23	97	66	23	PN16	BSP
11631	40-1 1/4"	557	32	150	84	25	128	72	26	PN16	BSP
11632	50-1 1/2"	890	40	167	99	31	142	77	33	PN16	BSP
11633	63-2"	1420	50	186	121	38	165	90	29	PN16	BSP





Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es