



'basic' bi-directional ball valve

Female threaded outlet - double acting spring return actuator - FPM ITEM 681



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111D660	FPM BALL V.DOUB.ACT.PNEUM.ACCT.F/THRE.OUT. 1/2"	0.866	0.01553	1.1927	1
111D661	FPM BALL V.DOUB.ACT.PNEUM.ACCT.F/THRE.OUT.3/4"	0.9255	0.00891	1.1129	1
111D662	FPM BALL V.DOUB.ACT.PNEUM.ACCT.F/THRE.OUT.1"	1.8504	0.03129	2.4234	1
111D663	FPM BALL V.DOUB.ACT.PNEUM.ACCT.F/THRE.OUT.1 1/4"	2.1096	0.03129	2.6826	1
111D664	FPM BALL V.DOUB.ACT.PNEUM.ACCT.F/THRE.OUT.1 1/2"	2.4855	0.03129	3.0585	1
111D665	FPM BALL V.DOUB.ACT.PNEUM.ACCT.F/THRE.OUT.2"	3.072	0.00891	3.2594	1
111D666	V.B. BID.ACT.NEU D/E R/H 2 1/2" FPM	6.154	0.0446	6.848	1
111D667	FPM BALL V.DOUB.ACT.PNEUM.ACCT.F/THRE.OUT.3"	7.26	0.0446	7.954	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 681 | Female threaded outlet - double acting spring return actuator - FPM

C??DIGO	r	Actuador	PESO (g)	DN	A	B	C	D	E	F	PN	TIPO ROSCA
11D660	1/2"	H050DE	1280	15	86	55	17	192	138	44	PN16	BSP
11D661	3/4"	H050DE	1328	20	99	62	20	197	138	49	PN16	BSP
11D662	1"	H050DE	1476.8	25	122	72	23	209	138	66	PN16	BSP
11D663	1 1/4"	H050DE	1746.8	32	131	88	26	232	138	71	PN16	BSP
11D664	1 1/2"	H050DE	2062.4	40	155	103	33	249	138	75	PN16	BSP
11D665	2"	H050DE	2684	50	180	120	29	291	138	89	PN16	BSP
11D666	2 1/2"	H075DE	5610	65	202	150	33	375	210	119	PN10	BSP
11D667	3"	H075DE	7260	80	232	181	36	402	210	140	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es