



'basic' bi-directional ball valve


Plain/threaded outlet - double acting spring return actuator - PTFE 2

ITEM 664



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111D630	BALL V.DOUB.ACT.PNEUM.ACCT.SS/FT OUT. 20-1/2"	0.8615	0.01553	1.1882	1
111D631	BALL V.DOUB.ACT.PNEUM.ACCT.SS/FT OUT. 25-3/4"	0.9215	0.02243	1.4092	1
111D632	BALL V.DOUB.ACT.PNEUM.ACCT.SS/FT OUT. 32-1"	1.8454	0.03129	2.4184	1
111D633	BALL V.DOUB.ACT.PNEUM.ACCT.SS/FT OUT. 40-1 1/4"	2.099	0.03129	2.672	1
111D634	BALL V.DOUB.ACT.PNEUM.ACCT.SS/FT OUT. 50-1 1/2"	2.475	0.03129	3.048	1
111D635	BALL V.DOUB.ACT.PNEUM.ACCT.SS/FT OUT. 63-2"	3.022	0.00891	3.2094	1
111D636	V.B.BID.ACT.NEU. D/E S/MIXTA 75-2 1/2"	6.121	0.0446	6.815	1
111D637	V.B.BID.ACT.NEU. D/E S/MIXTA 90-3"	7.19	0.0446	0	1





ITEM 664 | Plain/threaded outlet - double acting spring return actuator - PTFE

C??DIGO	f - r	Actuador	PESO (g)	DN	A	B	C	D	E	F	G	PN	TIPO ROSCA
11D630	20-1/2"	H050DE	1285	15	86	55	16	192	138	44	17	PN16	BSP
11D631	25-3/4"	H050DE	1333	20	99	62	19	197	138	49	20	PN16	BSP
11D632	32-1"	H050DE	1478	25	122	72	23	209	138	66	23	PN16	BSP
11D633	40-1 1/4"	H050DE	1748	32	131	88	25	232	138	71	26	PN16	BSP
11D634	50-1 1/2"	H050DE	2079.2	40	155	103	31	249	138	75	33	PN16	BSP
11D635	63-2"	H050DE	2664.8	50	180	120	38	291	138	89	29	PN16	BSP
11D636	75-2 1/2"	H075DE	5580	65	202	150	45	375	210	119	33	PN10	BSP
11D637	90-3"	H075DE	7190	80	245	181	51	402	210	140	36	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es