



Brass pressure fittings

90° coupling, female threaded ITEM 154

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1020066	90° BRASS ELBOW,F. THREAD 20-1/2"	0.1007	0.008918	5.22	50
1020067	90° BRASS ELBOW,F. THREAD 25-3/4"	0.1843	0.008918	7.189	40
1020068	90° BRASS ELBOW,F. THREAD 32-1"	0.2933	0.008918	7.52	25
1020069	90° BRASS ELBOW,F. THREAD 40-1 1/4"	0.4781	0.022435	17.7	36
1020070	90° BRASS ELBOW,F. THREAD 50-1 1/2"	0.7319	0.008918	8.97	12
1020071	90° BRASS ELBOW,F. THREAD 63-2"	1.06363	0.015532	10.963	10
1020072	90° BRASS ELBOW,F. THREAD 75-2 1/2"	1.802471	0.022435	13.105	7
1020073	90° BRASS ELBOW,F. THREAD 90-3"	2.95326	0.022435	15.254	5



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 154 | 90° coupling, female threaded

Código	f tubo-R	Peso (g)	A	B	C	D	E	F	G	H	PN	TIPO ROSCA
20066	20-1/2"	132	47.3	10.2	1/2"	35	21	53.6	24.5	33	PN25	BSP
20067	25-3/4"	213	50.5	12.7	3/4"	41.5	26	69	29.5	36.5	PN25	BSP
20068	32-1"	301	61	15.5	1"	49.5	33	78.5	38	43.5	PN25	BSP
20069	40-1 1/4"	520	74.8	16.7	1 1/4"	61	41.8	92	46.7	47.5	PN25	BSP
20070	50-1 1/2"	810	93	16	1 1/2"	74.3	51.2	107.5	56	53	PN25	BSP
20071	63-2"	1340	111	18	2"	91.2	64	137	66	65	PN25	BSP
20072	75-2 1/2"	1875	135	75	112.8						PN25	BSP
20073	90-3"	2720	154	85	129.4						PN25	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es