




Brass pressure fittings

Straight coupling

ITEM 149

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1020019	BRASS STRAIGHT COUPLING 20	0.1199	0.008918	6.18	50
1020020	BRASS STRAIGHT COUPLING 25	0.2014	0.008918	7.235	35
1020021	BRASS STRAIGHT COUPLING 32	0.323726	0.015532	16.513	50
1020022	BRASS STRAIGHT COUPLING 40	0.4844	0.015532	17.765	36
1020023	BRASS STRAIGHT COUPLING 50	0.7586	0.015532	12.465	16
1020024	BRASS STRAIGHT COUPLING 63	1.3463	0.015532	13.79	10
1020025	BRASS STRAIGHT COUPLING 75	2.547217	0.015532	15.61	6
1020026	BRASS STRAIGHT COUPLING 90	3.087	0.022435	19.062	6
1020027	BRASS STRAIGHT COUPLING,110	5.6638	0.008918	11.515	2





ITEM 149 | Straight coupling

Código	f tubo	Peso (g)	A	B	C	D	E	F	PN	MEDIDA
20019	20	151	71	35	5.7	32.6	21	32.6	PN25	MÉTRICO
20020	25	245	73.3	41.5	2.3	35.5	26	35.5	PN25	MÉTRICO
20021	32	308	87.2	49.5	2.4	42.4	33	42.4	PN25	MÉTRICO
20022	40	556	101	61	2	49.5	41.8	49.5	PN25	MÉTRICO
20023	50	837	105	74.3	1.4	51.8	51.2	51.8	PN25	MÉTRICO
20024	63	1350	135	91.2	4	65.5	64	65.5	PN25	MÉTRICO
20025	75	2330	135	88	150.6				PN25	MÉTRICO
20026	90	3350	154	104	169.8				PN25	MÉTRICO
20027	110	4950	179	129	220				PN25	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es