



Brass pressure fittings

Tee, male threaded outlet

ITEM 156

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1020100	BRASS TEE,M. THREAD 20-1/2"	0.211476	0.015532	15.13	70
1020101	BRASS TEE,M. THREAD 25-3/4"	0.296208	0.015532	12.175	40
1020102	BRASS TEE,M. THREAD 32-1"	0.414932	0.015532	10.7	25
1020103	BRASS TEE,M. THREAD 40-1 1/4"	0.748365	0.022435	15.455	20
1020104	BRASS TEE,M. THREAD 50-1 1/2"	1.163608	0.015532	14.29	12
1020105	BRASS TEE,M. THREAD 63-2"	1.93166	0.015532	9.985	5
1020106	BRASS TEE,M. THREAD 75-2 1/2"	3.75846	0.022435	19.28	5
1020107	BRASS TEE,M. THREAD 90-3"	4.4741	0.022435	13.91	3



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 156 | Tee, male threaded outlet

Código	f tubo-R	Peso (g)	A	B	C	D	E	F	r	PN	TIPO ROSCA
20100	20-1/2"	192	87	35	32.5	23.5	21	8	1/2"	PN25	BSP
20101	25-3/4"	307	91.5	41.5	35	29.5	26	9.5	3/4"	PN25	BSP
20102	32-1"	438	114	48.5	43	33.5	33	12	1"	PN25	BSP
20103	40-1 1/4"	770	126	61	48.5	38.5	41.8	13.5	1 1/4"	PN25	BSP
20104	50-1 1/2"	1240	144.5	74.3	50	52	51.2	11	1 1/2"	PN25	BSP
20105	63-2"	1974	184	91.2	65	68	64	14	2"	PN25	BSP
20106	75-2 1/2"	2765	135	235.6						PN25	BSP
20107	90-3"	3870	154	268.4						PN25	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es