



'Compact' ball valves

Fitting female threaded outlet PTFE ITEM 716

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C060	GFPP COMP.B.VALV. FITTING/FEMALE THR.20-1/2"	0.1552	0.015532	3.431	20
111C061	GFPP COMP.B.VALV. FITTING/FEMALE THR.25-3/4"	0.202	0.015532	4.37	20
111C062	GFPP COMP.B.VALV. FITTING/FEMALE THR.32-1"	0.294987	0.022435	4.95	15



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 716 | Fitting female threaded outlet PTFE

C??DIGO	d-r	DN	PESO (g)	A	B	C	F	PN	TIPO ROSCA
11C060	20-1/2"	15	130	121	48	17	80	PN16	BSP
11C061	25-3/4"	20	165	132	53	20	80	PN16	BSP
11C062	32-1"	25	270	152	59	23	101	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es