



'Compact' ball valves

Fitting male threaded outlet PTFE ITEM 717

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C070	GFPP COMP.B.VALV. MALE THR.20-1/2"	0.156415	0.015532	3.505	20
111C071	GFPP COMP.B.VALV. MALE THR.25-3/4"	0.214165	0.015532	4.66	20
111C072	GFPP COMP.B.VALV. MALE THR.32-1"	0.3038	0.022435	5.082	15



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 717 | Fitting male threaded outlet PTFE

C??DIGO	d-r	DN	PESO (g)	A	B	C	F	PN	TIPO ROSCA
11C070	20-1/2"	15	141	135	48	14	80	PN16	BSP
11C071	25-3/4"	20	185	149	53	17	80	PN16	BSP
11C072	32-1"	25	310	171	59	19	101	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es