



'Compact' ball valves

Male-Female threaded outlet

ITEM 569

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C030	GFPP COMP.B.VALV. FEM- MALE O. 1/2"	0.1064	0.008918	2.365	20
111C031	GFPP COMP.B.VALV. FEM- MALE O. 3/4"	0.13663	0.008918	2.97	20
111C032	GFPP COMP.B.V.1" FEM- MALE O.	0.20072	0.015532	3.375	15
111C033	GFPP COMP.B.V.1 1/4" FEM- MALE O.	0.323	0.022435	5.34	15
111C034	GFPP COMP.B.V.1 1/2" FEM- MALE O.	0.4502	0.02243	5.075	10
111C035	GFPP COMP.B.V.2" FEM- MALE O.	0.7414	0.02243	4.28	5



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 569 | Male-Female threaded outlet

C??DIGO	r	DN	PESO (g)	A	B	C	D	F	PN	TIPO ROSCA
11C030	1/2"	15	112.35	96	48	14	17	80	PN16	BSP
11C031	3/4"	20	144.2	106	53	17	20	80	PN16	BSP
11C032	1"	25	239.05	120	59	19	23	101	PN16	BSP
11C033	1 1/4"	32	403	139	69	22	26	130	PN16	BSP
11C034	1 1/2"	40	605	165	83	24	33	130	PN16	BSP
11C035	2"	50	960	188	104	26	39	172	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es