



'Compact' ball valves

Male threaded outlet

ITEM 567

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.peso bruto	Unidades lote
111C010	GFPP COMP.B.VALV. M/THREADED OUTLET 1/2"	0.110	0.00892	2.43	20
111C011	GFPP COMP.B.VALV. M/THREADED OUTLET 3/4"	0.142	0.00892	3.08	20
111C012	GFPP COMP.B.VALV. M/THREADED OUTLET 1"	0.217	0.01553	3.63	15



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 567 | Male threaded outlet

CÓDIGO	r	DN	PESO (g)	A	B	C	F	PN	TIPO ROSCA
11C010	1/2"	15	116.9	110	48	14	80	PN16	BSP
11C011	3/4"	20	152.6	123	53	17	80	PN16	BSP
11C012	1"	25	257.6	139	59	19	101	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es