




'Compact' ball valves

PE - male threaded outlet FPM

ITEM 723

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C150	VALVULA COMPACT R/M-PE 20-1/2" FPM	0.123	0.008918	2.6	20
111C151	VALVULA COMPACT R/M-PE 25-3/4" FPM	0.158	0.008918	3.3	20
111C152	VALVULA COMPACT R/M-PE 32-1" FPM	0.259	0.015532	4.155	15





ITEM 723 | PE - male threaded outlet FPM

CÓDIGO	??-r	DN	PESO (g)	A	B	C	D	F	PN	TIPO ROSCA
11C150	20-1/2"	15	123.13	166	48	65	14	80	PN16	BSP
11C151	25-3/4"	20	157.78	176	53	65	17	80	PN16	BSP
11C152	32-1"	25	261.1	195	59	70	19	101	PN16	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es