



## PP compression fittings

# Tee, male threaded outlet

## ITEM 486

| REFERENCE | DESCRIPTION                     | Net weight | Volumen (m³) | Gross weight | Unidades lote |
|-----------|---------------------------------|------------|--------------|--------------|---------------|
| 112E100   | TEE, MALE THREAD 20-1/2" GREY   | 0.097      | 0.041172     | 9.61         | 90            |
| 112E101   | TEE, MALE THREAD 25-3/4" GREY   | 0.154      | 0.047171     | 11.54        | 70            |
| 112E102   | TEE, MALE THREAD 32-1" GREY     | 0.218      | 0.036484     | 8.548        | 36            |
| 112E103   | TEE, MALE THREAD 40-1 1/4" GREY | 0.385      | 0.036816     | 10.245       | 25            |
| 112E104   | TEE, MALE THREAD 50-1 1/2" GREY | 0.57       | 0.044603     | 9.95         | 16            |
| 112E105   | TEE, MALE THREAD 63-2" GREY     | 1.073      | 0.047171     | 11.49        | 10            |
| 112E106   | TEE, MALE THREAD 75-2 1/2" GREY | 1.797      | 0.061499     | 17.153       | 9             |
| 112E107   | TEE, MALE THREAD 90-3" GREY     | 2.822      | 0.04836      | 12.128       | 4             |
| 112E108   | TEE, MALE THREAD 110-4" GREY    | 4.366      | 0.044603     | 9.562        | 2             |
| 112E189   | TEE, MALE THREAD 20-3/4" GREY   | 0.102      | 0.041172     | 10.06        | 90            |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## ITEM 486 | Tee, male threaded outlet

| Código | f tubo - F  | Peso (g) | A   | B   | C   | D   | E  | PN   | TIPO ROSCA |
|--------|-------------|----------|-----|-----|-----|-----|----|------|------------|
| 12E100 | 20 - 1/2"   | 94       | 21  | 46  | 58  | 137 | 15 | PN16 | BSP        |
| 12E189 | 20 - 3/4"   | 96       | 21  | 46  | 58  | 137 | 16 | PN16 | BSP        |
| 12E101 | 25 - 3/4"   | 155      | 26  | 55  | 66  | 156 | 16 | PN16 | BSP        |
| 12E102 | 32 - 1"     | 218      | 33  | 64  | 70  | 170 | 19 | PN16 | BSP        |
| 12E103 | 40 - 1 1/4" | 351      | 42  | 76  | 84  | 208 | 21 | PN16 | BSP        |
| 12E104 | 50 - 1 1/2" | 567      | 51  | 91  | 94  | 235 | 21 | PN16 | BSP        |
| 12E105 | 63 - 2"     | 948      | 64  | 109 | 105 | 274 | 25 | PN16 | BSP        |
| 12E106 | 75 - 2 1/2" | 1756     | 77  | 133 | 136 | 344 | 30 | PN10 | BSP        |
| 12E107 | 90 - 3"     | 2822     | 92  | 159 | 166 | 416 | 36 | PN10 | BSP        |
| 12E108 | 110 - 4"    | 4366     | 112 | 183 | 174 | 465 | 40 | PN10 | BSP        |





## ITEM 486 | Tee, male threaded outlet

---



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &  
Commercial Service  
+ 34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es