



## Electrofusion fittings/Welding fittings


# Transition adapter, male threaded

## ITEM 167



| REFERENCE | DESCRIPTION                            | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|----------------------------------------|------------|---------------------------|--------------|---------------|
| 1019201   | TRANSITION ADAPTER,M. THREAD 20-1/2"   | 0.081052   | 0.00891                   | 4.24         | 50            |
| 1019202   | TRANSITION ADAPTER,M. THREAD 25-3/4"   | 0.113846   | 0.022435                  | 6.18         | 50            |
| 1019203   | TRANSITION ADAPTER,M. THREAD 32-1"     | 0.179346   | 0.022435                  | 9.455        | 50            |
| 1019204   | TRANSITION ADAPTER,M. THREAD 40-1 1/4" | 0.2671     | 0.015532                  | 8.34         | 30            |
| 1019205   | TRANSITION ADAPTER,M. THREAD 50-1 1/2" | 0.3634     | 0.015532                  | 7.595        | 20            |
| 1019206   | TRANSITION ADAPTER,M. THREAD 63-2"     | 0.6992     | 0.022435                  | 7.482        | 10            |
| 1019207   | TRANSITION ADAPTER,M. THREAD 75-2 1/2" | 0.8229     | 0.004725                  | 0.94         | 1             |
| 1019208   | TRANSITION ADAPTER,M. THREAD 90-3"     | 1.1279     | 0.004725                  | 1.245        | 1             |
| 1019209   | TRANSITION ADAPTER,M. THREAD 110-4"    | 2.0426     | 0.00892                   | 2.23         | 1             |





## ITEM 167 | Transition adapter, male threaded

| Código | f tubo-A-B | Peso (g) | C  | D   | PN   | TIPO ROSCA |
|--------|------------|----------|----|-----|------|------------|
| 19201  | 20-1/2"    | 151      | 33 | 75  | PN16 | BSP        |
| 19202  | 25-3/4"    | 195      | 33 | 76  | PN16 | BSP        |
| 19203  | 32-1"      | 273      | 35 | 80  | PN16 | BSP        |
| 19204  | 40-1 1/4"  | 425      | 39 | 86  | PN16 | BSP        |
| 19205  | 50-1 1/2"  | 528      | 43 | 90  | PN16 | BSP        |
| 19206  | 63-2"      | 792      | 47 | 98  | PN16 | BSP        |
| 19207  | 75-2 1/2"  | 1105     | 59 | 120 | PN16 | BSP        |
| 19208  | 90-3"      | 1591     | 71 | 142 | PN16 | BSP        |
| 19209  | 110-4"     | 1965     | 76 | 148 | PN16 | BSP        |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es