



'Compact' ball valves

Female threaded pneumatic actuator double acting ITEM 911



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C222	3/4" COMPACT FEM. THREAD VALVE WITH ACT. NEUM. D/E	1.4248	0.03129	1.9978	1
111C223	1" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. D/E	1.4704	0.03129	2.0434	1
111C224	1 1/4" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. D/E	1.6917	0.03129	2.2647	1
111C225	1 1/2" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. D/E	2.713	0.03129	3.286	1
111C226	2" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. D/E	2.4115	0.03129	2.9845	1
111C227	VALVULA COMPACT R/H 2 1/2" ACT NEUMATICO D/E	4.602	0.03129	5.178	1
111C228	VALVULA COMPACT R/H 3" ACT NEUMATICO D/E	4.612	0.03129	5.185	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 911 | Female threaded pneumatic actuator double acting

C??DIGO	r	DN	PESO (g)	Actuador	A	B	C	D	E	PN	TIPO ROSCA
11C227	2 1/2"	65	4550	H075DE	188	132	34	316	210	PN10	BSP
11C228	3"	65	4400	H075DE	188	132	35	316	210	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es