



'Compact' ball valves

Female threaded pneumatic actuator single acting

ITEM 910



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C212	3/4" COMPACT FEM. THREAD VALVE WITH ACT. NEUM. S/E	1.5548	0.03129	2.1278	1
111C213	1" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. S/E	1.6004	0.03129	2.1734	1
111C214	1 1/4" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. S/E	2.4217	0.03129	2.9947	1
111C215	1 1/2" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. S/E	2.713	0.03129	3.286	1
111C216	2" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. S/E	3.1415	0.03129	3.7145	1
111C217	VALVULA COMPACT R/H 2 1/2" ACT NEUMATICO S/E	5.045	0.03129	5.618	1
111C218	VALVULA COMPACT R/H 3" ACT NEUMATICO S/E	5.055	0.03129	6.628	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 910 | Female threaded pneumatic actuator single acting

C??DIGO	r	DN	PESO (g)	Actuador	A	B	C	D	E	PN	TIPO ROSCA
11C217	2 1/2"	65	4950	H075SE	188	132	34	316	210	PN10	BSP
11C218	3"	65	4800	H075SE	188	132	35	316	210	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es