




'Basic' ball valves

Fittings/fittings outlet - PTFE - Basic System ITEM 217



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1011180	PTFE BALL VALVE, FITTING OUTLET 20-20"	0.225	0.031294	9.56	40
1011181	PTFE BALL VALVE, FITTING OUTLET 25-25"	0.3376	0.036816	14.053	40
1011182	PTFE BALL VALVE, FITTING OUTLET 32-32"	0.51874	0.047171	16.204	30
1011183	PTFE BALL VALVE, FITTING OUTLET 40-40"	0.992181	0.04836	16.54	16
1011184	PTFE BALL VALVE, FITTING OUTLET 50-50"	1.308	0.048799	20.2	15
1011185	PTFE BALL VALVE, FITTING OUTLET 63-63"	2.0835	0.06347	21.5	10
1011186	PTFE BALL VALVE, FITTING OUTLET 75-75"	3.9825	0.04836	16.6	4
1011187	PTFE BALL VALVE, FITTING OUTLET 90-90"	6.805	0.036484	14.2	2
1011188	PTFE BALL VALVE, FITTING OUTLET 110-110"	9.87	0.044603	10.6	1





ITEM 217 | Fittings/fittings outlet - PTFE - Basic System

CÓDIGO	f	PESO (g)	DN	A	B	C	D	PN	MEDIDA
11180	20	225	15	203	52	47	78	PN16	MÉTRICO
11181	25	338	20	207	59	51	84	PN16	MÉTRICO
11182	32	518	25	246	70	66	97	PN16	MÉTRICO
11183	40	977	32	272	84	72	128	PN16	MÉTRICO
11184	50	1308	40	307	99	77	142	PN16	MÉTRICO
11185	63	2083	50	378	121	90	165	PN16	MÉTRICO
11186	75	3982	65	441	151	121	222	PN10	MÉTRICO
11187	90	6805	80	521	175	141	244	PN10	MÉTRICO
11188	110	9870	100	625	210	155	307	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es