




'Basic' ball valves

Fittings/solvent socket outlet - PTFE - Basic System ITEM 219



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1011410	PTFE BALL VALVE COUPLING GLUE/FITTING 20	0.175	0.022435	7.54	40
1011411	PTFE BALL VALVE COUPLING GLUE/FITTING 25	0.241	0.031294	10.2	40
1011412	PTFE BALL VALVE COUPLING GLUE/FITTING 32	0.406	0.031294	12.74	30
1011413	PTFE BALL VALVE COUPLING GLUE/FITTING 40	0.781	0.031294	16.19	20
1011414	PTFE BALL VALVE COUPLING GLUE/FITTING 50	1.058053	0.036816	16.42	15
1011415	PTFE BALL VALVE COUPLING GLUE/FITTING 63	1.73132	0.047171	17.955	10
1011416	PTFE BALL VALVE COUPLING GLUE/FITTING 75	1.856	0.047171	8.184	4
1011417	VALVULA ENLACE FITTING-ENCOLAR 90 PTFE	5.128	0.036484	10.956	2
1011418	VALVULA ENLACE FITTING-ENCOLAR 110 PTFE	6.687	0.036484	7.387	1





ITEM 219 | Fittings/solvent socket outlet - PTFE - Basic System

CÓDIGO	f	PESO (g)	DN	A	B	C	D	E	PN	MEDIDA
11410	20	175	15	145	52	47	78	16	PN16	MÉTRICO
11411	25	241	20	147	59	51	84	19	PN16	MÉTRICO
11412	32	406	25	182	70	66	97	23	PN16	MÉTRICO
11413	40	781	32	202	84	72	128	25	PN16	MÉTRICO
11414	50	1058	40	228	99	77	142	31	PN16	MÉTRICO
11415	63	1731	50	276	121	90	165	38	PN16	MÉTRICO
11416	75	1856	65	328	151	121	222	45	PN10	MÉTRICO
11417	90	5128	80	388	175	141	244	51	PN10	MÉTRICO
11418	110	6687	100	467	210	155	307	61	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es