



'Compact' ball valves

Male-female threaded elbow - FPM seal ITEM 888



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C190	V.COMP.ACOD.RM-RH 1/2"-1/2" FPM	0.129	0.008918	2.787	20
111C191	V.COMP.ACOD.RM-RH 1/2"-3/4" FPM	0.128	0.008918	2.771	20
111C192	V.COMP.ACOD.RM-RH 3/4"-3/4" FPM	0.1677	0.008918	2.681	15
111C193	V.COMP.ACOD.RM-RH 3/4"-1" FPM	0.166	0.008918	2.655	15



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 888 | Male-female threaded elbow - FPM seal

CÓDIGO	r1-r2	DN	PESO (g)	A	B	C1	C2	D	F	PN	TIPO ROSCA
11C190	1/2"-1/2"	15	133	98	48	14	14	104	80	PN16	BSP
11C191	1/2"-3/4"	15	134	98	48	14	17	106	80	PN16	BSP
11C192	3/4"-3/4"	20	175	105	53	17	17	109	80	PN16	BSP
11C193	3/4"-1"	20	172	105	53	17	19	112	80	PN16	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es