



Netvitc System?? butterfly valves

Reducing clamp and adaptor, female threaded outlet ITEM 181

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
109N486	NET SYS CLAMP&ADAPT,F-F/OUT RED. 125-2 1/2"	1.046	0.015532	4.424	4
109N487	NET SYS CLAMP&ADAPT,F-F/OUT RED. 125-3"	0.982	0.015532	4.168	4
109N488	NET SYS CLAMP&ADAPT,F-F/OUT RED. 125-4"	1.063	0.015532	4.492	4



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 181 | Reducing clamp and adaptor, female treaded outlet

C??DIGO	f	BRIDA	Pesos	A	B	C	PN	TIPO ROSCA
9N486	2 1/2"	125	1046	203	108	44	PN10	BSP
9N487	3"	125	982	203	108	51	PN10	BSP
9N488	4"	125	1063	203	108	62	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es