



Netwell® foot valves

Foot valve, PE outlet

ITEM 293

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1014055	ASPIRATION FOOT VALVE,THERMO OUT 90	3.2699	0.04836	3.935	1
1014056	ASPIRATION FOOT VALVE,THERMO OUT 110	3.5649	0.04836	4.23	1
1014057	ASPIRATION FOOT VALVE,THERMO OUT 125	3.5169	0.04125	4.182	1
1014058	ASPIRATION FOOT VALVE,THERMO OUT 140	5.5919	0.04836	6.257	1
1014059	ASPIRATION FOOT VALVE,THERMO OUT 160	5.7749	0.04836	6.44	1
1014060	ASPIRATION FOOT VALVE,THERMO OUT 200	10.353	0.13096	12.75	1
1014061	ASPIRATION FOOT VALVE,THERMO OUT 225	14.02	0.13096	14.6	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 293 | Foot valve, PE outlet

CÓDIGO	Ø	PESOS	BRIDA	DN CUERPO	B	C	D	E	F	G	PN	MEDIDA
14055	90	3086	125	110	100	122	430	259	53	311	PN10	MÉTRICO
14056	110	3188	125	110	101	122	431	259	53	311	PN10	MÉTRICO
14057	125	3407	125	110	135	122	462	259	53	311	PN10	MÉTRICO
14058	140	5400	160	150	98	137	480	280	74	354	PN10	MÉTRICO
14059	160	5610	160	150	122	137	463	280	74	354	PN10	MÉTRICO
14060	200	9084	200	200	132	210	725	360	60	420	PN10	MÉTRICO
14061	225	8343	200	200	143	210	726	360	60	420	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es