




## PP fittings for polyethylene

# Reducing straight union

## ITEM 098

| REFERENCE | DESCRIPTION              | Net weight | Volumen (m³) | Gross weight | Unidades lote |
|-----------|--------------------------|------------|--------------|--------------|---------------|
| 1012083   | REDUCING COUPLING 25-20  | 0.1005     | 0.031294     | 8.615        | 80            |
| 1012084   | REDUCING COUPLING 32-25  | 0.16762    | 0.03129      | 9.7921       | 55            |
| 1012085   | REDUCING COUPLING 40-32  | 0.265762   | 0.06347      | 14.075       | 50            |
| 1012086   | REDUCING COUPLING 50-40  | 0.438157   | 0.048799     | 13.72        | 30            |
| 1012087   | REDUCING COUPLING 63-50  | 0.7355     | 0.036484     | 9.42         | 12            |
| 1012088   | REDUCING COUPLING 75-63  | 1.236622   | 0.041172     | 11.77        | 9             |
| 1012089   | REDUCING COUPLING 90-75  | 2.1277     | 0.036816     | 9.06         | 4             |
| 1012090   | REDUCING COUPLING 110-90 | 3.021      | 0.031294     | 6.615        | 2             |
| 1012270   | REDUCING COUPLING 32-20  | 0.137218   | 0.031294     | 8.12         | 55            |
| 1012272   | REDUCING COUPLING 50-32  | 0.367323   | 0.048799     | 11.595       | 30            |
| 1012273   | REDUCING COUPLING 63-40  | 0.665      | 0.03648      | 8.574        | 12            |
| 1012278   | REDUCING COUPLING 90-63  | 1.815      | 0.03129      | 7.815        | 4             |





## ITEM 098 | Reducing straight union

| Código | f tubo | Peso (g) | A  | a  | B   | b   | C   | c   | D        | PN   | MEDIDA  |
|--------|--------|----------|----|----|-----|-----|-----|-----|----------|------|---------|
| 12083  | 25-20  | 97       | 26 | 21 | 55  | 46  | 60  | 57  | =H3+I3   | PN16 | MÉTRICO |
| 12270  | 32-20  | 145      | 33 | 32 | 64  | 46  | 67  | 57  | 124      | PN16 | MÉTRICO |
| 12084  | 32-25  | 156      | 33 | 26 | 64  | 55  | 67  | 63  | =H5+I5   | PN16 | MÉTRICO |
| 12085  | 40-32  | 252      | 42 | 33 | 76  | 64  | 83  | 76  | =H6+I6   | PN16 | MÉTRICO |
| 12272  | 50-32  | 345      | 51 | 33 | 91  | 64  | 90  | 76  | 166      | PN16 | MÉTRICO |
| 12086  | 50-40  | 404      | 51 | 42 | 91  | 76  | 90  | 83  | =H8+I8   | PN16 | MÉTRICO |
| 12273  | 63-40  | 560      | 64 | 42 | 109 | 64  | 106 | 83  | 189      | PN16 | MÉTRICO |
| 12087  | 63-50  | 637      | 64 | 51 | 109 | 91  | 106 | 97  | =H10+I10 | PN16 | MÉTRICO |
| 12088  | 75-63  | 1104     | 77 | 64 | 133 | 109 | 129 | 114 | =H11+I11 | PN10 | MÉTRICO |
| 12278  | 90-63  | 1580     | 92 | 64 | 159 | 109 | 162 | 114 | =H12+I12 | PN10 | MÉTRICO |





## ITEM 098 | Reducing straight union

|       |        |      |     |    |     |     |     |     |          |      |         |
|-------|--------|------|-----|----|-----|-----|-----|-----|----------|------|---------|
| 12089 | 90-75  | 2030 | 92  | 77 | 159 | 133 | 162 | 140 | =H13+I13 | PN10 | MÉTRICO |
| 12090 | 110-90 | 3080 | 112 | 92 | 183 | 159 | 174 | 164 | =H14+I14 | PN10 | MÉTRICO |





## Product Documents



## Product Certificates



## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es