



PP fittings for polyethylene

Reinforced female threaded straight union

ITEM 101



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1012112	COUPLING,F. THREAD REINF. 25-1/2"	0.088	0.031294	9.38	100
1012114	COUPLING,F. THREAD REINF. 32-3/4"	0.130401	0.044603	13.77	100
1012138	COUPLING,F. THREAD REINF. 20-1/2"	0.059723	0.022435	6.46	100
1012139	COUPLING,F. THREAD REINF. 25-3/4"	0.08737	0.031294	9.31	100
1012140	COUPLING,F. THREAD REINF. 32-1"	0.126951	0.044603	13.425	100
1012141	COUPLING,F. THREAD REINF. 40-1 1/4"	0.231966	0.044603	13.72	56
1012142	COUPLING,F. THREAD REINF. 50-1 1/2"	0.332253	0.044603	14.02	40
1012143	COUPLING,F. THREAD REINF. 63-2"	0.599268	0.061499	17.7	28
1012144	COUPLING,F. THREAD RF. 75-2 1/2"	0.92808	0.036816	9.83	10
1012145	COUPLING,F. THREAD RF. 90-3"	1.48116	0.0446	8.0998	5
1012146	COUPLING,F. THREAD RF. 110-4"	2.1344	0.022435	4.8	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 101 | Reinforced female threaded straight union

Código	f tubo - F	Peso (g)	A	B	C	D	PN	TIPO ROSCA
12138	20 - 1/2"	63	21	46	76	18	PN16	BSP
12212	25 - 1/2"	93	26	55	83	18	PN16	BSP
12139	25 - 3/4"	90	26	55	84	21	PN16	BSP
12214	32 - 3/4"	135	33	63	92	21	PN16	BSP
12140	32 - 1"	130	33	63	93	23	PN16	BSP
12141	40 - 1 1/4"	218	42	76	112	25	PN16	BSP
12142	50 - 1 1/2"	314	51	91	119	25	PN16	BSP
12143	63 - 2"	550	64	109	141	29	PN16	BSP
12144	75 - 2 1/2"	902	77	133	169	34	PN10	BSP
12145	90 - 3"	1494	92	159	204	38	PN10	BSP





ITEM 101 | Reinforced female threaded straight union

12146

110 - 4"

2064

112

183

231

50

PN10

BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es