



PVC check valves (with spring)

Female threaded outlet - EPDM seal ITEM 265



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1016011	PVC CHECK V. (W/SPR), FEMALE THR.1/2"	0.138	0.015532	5.99	40
1016012	PVC CHECK V. (W/SPR), FEMALE THR.3/4"	0.179	0.02243	7.755	40
1016013	PVC CHECK V. (W/SPR), FEMALE THR.1"	0.308	0.022435	9.6	30
1016014	PVC CHECK V. (W/SPR), FEMALE THR.1 1/4"	0.511	0.03129	10.821	20
1016015	PVC CHECK V. (W/SPR), FEMALE THR.1 1/2"	0.749	0.022435	9.525	12
1016016	PVC CHECK V. (W/SPRING), FEMALE THR.2"	1.196	0.031294	12.353	10
1016017	PVC CHECK V. (W/SPR), FEMALE THR.2 1/2"	2.266	0.031294	9.75	4
1016018	PVC CHECK V. (W/SPR), FEMALE THR.3"	3.61	0.022435	8.021	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 265 | Female threaded outlet - EPDM seal

Código EPDM	A	Peso	B	C	D	PN	TIPO ROSCA
16011	1/2"	139	52	90	16	PN16	BSP
16012	3/4"	181	59	100	17	PN16	BSP
16013	1"	296	69	123	21	PN16	BSP
16014	1 1/4"	497	85	135	23	PN16	BSP
16015	1 1/2"	712	99	155	31	PN16	BSP
16016	2"	1125	116	163	38	PN16	BSP
16017	2 1/2"	2683	150	205	44	PN10	BSP
16018	3"	4320	178	231	52	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es