



PVC check valves (with spring)

Fitting outlet - EPDM seal

ITEM 269

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1016031	PVC CHECK V. (W/SPR), FITTING O.20-20	0.2	0.022435	8.54	40
1016032	PVC CHECK V. (W/SPR), FITTING O.25-25	0.3055	0.036816	12.02	40
1016033	PVC CHECK V. (W/SPR), FITTING O.32-32	0.49	0.036816	13.07	30
1016034	PVC CHECK V. (W/SPR), FITTING O.40-40	0.873	0.036816	11.58	16
1016035	PVC CHECK V. (W/SPR), FITTING O.50-50	1.207647	0.048799	18.69	15
1016036	PVC CHECK V. (W/SPR), FITTING O.63-63	2.225	0.04836	22.25	10
1016037	PVC CHECK V. (W/SPR), FITTING O.75-75	3.5027	0.04836	14.21	5
1016038	PVC CHECK V. (W/SPR), FITTING O.90-90	6.117275	0.06347	25.256	4



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 269 | Fitting outlet - EPDM seal

Código EPDM	A	Peso	B	C	PN	MEDIDA
16031	20	200	52	170	PN16	MÉTRICO
16032	25	305	59	197	PN16	MÉTRICO
16033	32	480	69	239	PN16	MÉTRICO
16034	40	805	85	274	PN16	MÉTRICO
16035	50	1061	99	288	PN16	MÉTRICO
16036	63	1943	116	380	PN16	MÉTRICO
16037	75	4709	150	411	PN10	MÉTRICO
16038	90	7530	178	460	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es