



PVC check valves (with spring)

Fitting outlet - Foot - EPDM seal ITEM 276

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1016221	PVC FOOT CHECK V. (W/SPR), FITTING O.20	0.161	0.022435	7.14	40
1016222	PVC FOOT CHECK V. (W/SPR), FITTING O.25	0.228	0.031294	9.76	40
1016223	PVC FOOT CHECK V. (W/SPR), FITTING O.32	0.36	0.031294	11.12	30
1016224	PVC FOOT CHECK V. (W/SPR), FITTING O.40	0.643	0.031294	9.856	16
1016225	PVC FOOT CHECK V. (W/SPR), FITTING O.50	0.887	0.04717	12.47	15
1016226	PVC FOOT CHECK V. (W/SPR), FITTING O.63	1.582	0.04836	13.69	10
1016227	PVC FOOT CHECK V. (W/SPR), FITTING O.75	2.83	0.047171	13.01	5
1016228	PVC FOOT CHECK V. (W/SPR), FITTING O.90	4.489	0.06347	18.928	4



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 276 | Fitting outlet - Foot - EPDM seal

Código EPDM	A	Peso	B	C	PN	MEDIDA
16221	20	158	52	146	PN16	MÉTRICO
16222	25	226	59	167	PN16	MÉTRICO
16223	32	364	69	205	PN16	MÉTRICO
16224	40	603	85	234	PN16	MÉTRICO
16225	50	780	99	242	PN16	MÉTRICO
16226	63	1133	116	306	PN16	MÉTRICO
16227	75	3689	150	414	PN10	MÉTRICO
16228	90	5900	178	465	PN10	MÉTRICO





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es