



PVC check valves (with spring)

Plain/threaded outlet - EPDM seal ITEM 268



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1016021	PVC CHECK V. (W/SPR), PLAIN-F.THR.1/2"-20	0.134	0.015532	5.86	40
1016022	PVC CHECK V. (W/SPR), PLAIN-F.THR.3/4"-25	0.173	0.015532	7.32	40
1016023	PVC CHECK V. (W/SPR), PLAIN-F.THR.1"-32	0.293	0.022435	9.21	30
1016024	PVC CHECK V. (W/SPR), PLAIN-F.THR.1 1/4"-40	0.494	0.022435	10.415	20
1016025	PVC CHECK V. (W/SPR), PLAIN-F.THR.1 1/2"-50	0.7275	0.031294	9.059	12
1016026	PVC CHECK V. (W/SPR), PLAIN-F.THR.2"-63	1.179	0.031294	11.91	10
1016027	PVC CHECK V. (W/SPR), PLAIN-F.THR.2 1/2"-75	2.26	0.031294	11.156	4
1016028	PVC CHECK V. (W/SPR), PLAIN-F.THR.3"-90	3.5463	0.031294	9.076	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 268 | Plain/threaded outlet - EPDM seal

Código EPDM	A	a	Peso	B	C	D	d	PN	TIPO ROSCA
16021	20	1/2"	135	52	88	17	16	PN16	BSP
16022	25	3/4"	177	59	97	19	17	PN16	BSP
16023	32	1"	289	69	121	24	21	PN16	BSP
16024	40	1 1/4"	484	85	134	26	23	PN16	BSP
16025	50	1 1/2"	696	99	153	31	31	PN16	BSP
16026	63	2"	1111	116	169	38	38	PN16	BSP
16027	75	2 1/2"	2649	150	211	44	44	PN10	BSP
16028	90	3"	4258	178	246	51	52	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es