




PVC-U pressure fittings

90° elbow, F/F trheaded outlet

ITEM 005

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1002301	90° ELBOW F. THREAD/F. THREAD 1/2"-1/2"	0.022666	0.004725	2.454	100
1002302	90° ELBOW F. THREAD/F. THREAD 3/4"-3/4"	0.034576	0.008918	3.645	100
1002303	90° ELBOW F. THREAD/F. THREAD 1"-1"	0.066173	0.022435	7.105	100
1002304	90° ELBOW F. THREAD/F. THREAD 1 1/4"-1 1/4"	0.11547	0.031294	12.12	100
1002305	90° ELBOW F. THREAD/F. THREAD 1 1/2"-1 1/2"	0.179582	0.06649	18.7787	100
1002306	90° ELBOW F. THREAD/F. THREAD 2"-2"	0.327164	0.06649	17.2787	50
1002307	90° ELBOW F. THREAD/F. THREAD 2 1/2"-2 1/2"	0.456257	0.048799	14.35	30
1002308	90° ELBOW F. THREAD/F. THREAD 3"-3"	0.889161	0.04836	16.67	18





ITEM 005 | 90° elbow, F/F trheaded outlet

Código	A	Peso (g)	B	C	D	PN	ROSCA
02301	1/2"	22	27	16	41	PN10	BSP
02302	3/4"	34	33	17	50	PN10	BSP
02303	1"	66	41	21	61	PN10	BSP
02304	1 1/4"	97	50	23	74	PN10	BSP
02305	1 1/2"	165	61	24	88	PN10	BSP
02306	2"	322	76	28	109	PN10	BSP
02307	2 1/2"	441	89	32	128	PN10	BSP
02308	3"	864	107	35	155	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es