



PVC-U pressure fittings


90° elbow, solvent socket outlet

ITEM 004



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1002201	90° ELBOW PLAIN/F. THREAD 20-1/2"	0.021726	0.008918	2.36	100
1002202	90° ELBOW PLAIN/F. THREAD 25-3/4"	0.033126	0.008918	3.5	100
1002203	90° ELBOW PLAIN/F. THREAD 32-1"	0.064853	0.022435	6.973	100
1002204	90° ELBOW PLAIN/F. THREAD 40-1 1/4"	0.12457	0.031294	13.03	100
1002205	90° ELBOW PLAIN/F. THREAD 50-1 1/2"	0.160832	0.06649	17.0037	100
1002206	90° ELBOW PLAIN/F. THREAD 63-2"	0.286364	0.06649	15.2387	50
1002207	90° ELBOW PLAIN/F. THREAD 75-2 1/2"	0.45249	0.048799	14.15	30
1002208	90° ELBOW PLAIN/F. THREAD 90-3"	0.849439	0.04836	15.955	18
1002260	90° ELBOW PLAIN/F. THREAD 75-1 1/2"	0.59435	0.031294	12.46	20
1002261	90° ELBOW PLAIN/F. THREAD 75-2"	0.57235	0.031294	12.02	20
1002262	90° ELBOW PLAIN/F. THREAD 90-2"	1.073817	0.0368	13.435	12
1002263	90° ELBOW PLAIN/F. THREAD 90-2 1/2"	0.995	0.0368	12.56	12





ITEM 004 | 90° elbow, solvent socket outlet

Código	A-a	Peso (g)	B	C	D	E	PN	ROSCA
02201	20-1/2"	21	27	16	41	16	PN10	BSP
02202	25-3/4"	34	33	19	50	17	PN10	BSP
02203	32-1"	66	41	22	61	21	PN10	BSP
02204	40-1 1/4"	120	50	26	74	23	PN10	BSP
02205	50-1 1/2"	145	61	31	88	24	PN10	BSP
02206	63-2"	275	75	38	109	28	PN10	BSP
02260	75-1 1/2"	589	89	44	129	24	PN10	BSP
02261	75-2"	562	89	44	129	28	PN10	BSP
02207	75-2 1/2"	427	89	44	129	32	PN10	BSP
02262	90-2"	1040	108	51	156	28	PN10	BSP





ITEM 004 | 90° elbow, solvent socket outlet

02263	90-2 1/2"	995	108	51	156	32	PN10	BSP
02208	90-3"	831	108	51	156	35	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es