



PVC-U pressure fittings

"AIR" Plain 90° cross, Solvent socket outlet ITEM 625



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1001660	"AIR" 90° CROSS S. SOCKET OUTLET 20-20	0.045065	0.008918	1.99	40
1001661	"AIR" 90° CROSS S. SOCKET OUTLET 25-20	0.056708	0.015532	2.595	40
1001662	"AIR" 90° CROSS S. SOCKET OUTLET 32-20	0.093923	0.022435	3.775	35
1001665	"AIR" 90° CROSS S. SOCKET OUTLET 50-20	0.238231	0.063473	9.125	35
1001666	"AIR" 90° CROSS S. SOCKET OUTLET 50-25	0.22666	0.063473	8.72	35



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 625 | "AIR" Plain 90° cross, Solvent socket outlet

Código	A	Peso (g)	B	C	D	PN	MEDIDA
01660	20-20	51	27	16	56	PN16	MÉTRICO
01661	25-20	92	33	19	66	PN16	MÉTRICO
01662	32-20	135	41	22	82	PN16	MÉTRICO
01665	50-20	310	63	31	121	PN16	MÉTRICO
01666	50-25	324	63	31	121	PN16	MÉTRICO



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es