



PVC-U pressure fittings

"BS" union, socket solvent

ITEM 399

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1001985	UNION SOLV. SOCK. BS 1/2"	0.012	0.004725	0.35	20
1001986	UNION SOLV. SOCK. BS 3/4"	0.024	0.004725	0.59	20
1001987	UNION SOLV. SOCK. BS 1"	0.03	0.004725	0.71	20
1001988	UNION SOLV. SOCK. BS 1 1/4"	0.061	0.004725	0.6561	10
1001989	UNION SOLV. SOCK. BS 1 1/2"	0.089	0.004725	0.9361	10
1001990	UNION SOLV. SOCK. BS 2"	0.123	0.004725	1.2761	10



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 399 | "BS" union, socket solvent

Codigo	A	Peso (g)	B	C	D	E	PN	MEDIDA
01985	1/2"	12	16	33	26	28	PN16	BS
01986	3/4"	24	19	42	29	36	PN16	BS
01987	1"	30	22	48	32	42	PN16	BS
01988	1 1/4"	61	26	59	41	52	PN16	BS
01989	1 1/2"	89	31	66	46	59	PN16	BS
01990	2"	123	38	78	56	73	PN16	BS
01931	2 1/2"	225	44	89	61	85	PN16	BS



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es