




PVC-U pressure fittings

F/F threaded 45° elbow

ITEM 008

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1002311	45° ELBOW F. THREAD/F. THREAD 1/2"-1/2"	0.017779	0.004725	1.895	100
1002312	45° ELBOW F. THREAD/F. THREAD 3/4"-3/4"	0.028056	0.008918	2.993	100
1002313	45° ELBOW F. THREAD/F. THREAD 1"-1"	0.053783	0.015532	5.705	100
1002314	45° ELBOW F. THREAD/F. THREAD 1 1/4"-1 1/4"	0.094518	0.031294	10.97	110
1002315	45° ELBOW F. THREAD/F. THREAD 1 1/2"-1 1/2"	0.145438	0.047171	16.64	110
1002316	45° ELBOW F. THREAD/F. THREAD 2"-2"	0.274785	0.047171	15.755	55
1002317	45° ELBOW F. THREAD/F. THREAD 2 1/2"-2 1/2"	0.391897	0.041172	13.66	33
1002318	45° ELBOW F. THREAD/F. THREAD 3"-3"	0.677881	0.041172	11.535	16





ITEM 008 | F/F threaded 45° elbow

Código	A	Peso (g)	B	C	D	PN	ROSCA
02311	1/2"	20	27	16	48	PN10	BSP
02312	3/4"	27	33	17	53	PN10	BSP
02313	1"	54	41	21	63	PN10	BSP
02314	1 1/4"	80	50	23	80	PN10	BSP
02315	1 1/2"	156	61	24	95	PN10	BSP
02316	2"	260	76	28	125	PN10	BSP
02317	2 1/2"	361	89	32	137	PN10	BSP
02318	3"	676	107	35	162	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es