




PVC-U pressure fittings

F/F threaded 90° tee

ITEM 013

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1002321	PVC 90° TEE THREADED/THREADED/THREADED 1/2"	0.0281	0.008918	2.995	100
1002322	PVC 90° TEE THREADED/THREADED/THREADED 3/4"	0.046883	0.015532	5.015	100
1002323	PVC 90° TEE THREADED/THREADED/THREADED 1"	0.08159	0.022435	6.199	70
1002324	PVC 90° TEE THREADED/THREADED/THREADED 1 1/4"	0.149885	0.036816	12.54	80
1002325	PVC 90° TEE THREADED/THREADED/THREADED 1 1/2"	0.251511	0.047171	16.99	65
1002326	PVC 90° TEE THREADED/THREADED/THREADED 2"	0.4479	0.047171	17.662	38
1002327	PVC 90° TEE THREADED/THREADED/THREADED 2 1/2"	0.588485	0.047171	12.455	20
1002328	PVC 90° TEE THREADED/THREADED/THREADED 3"	1.186642	0.047171	14.925	12





ITEM 013 | F/F threaded 90° tee


Código	A	Peso (g)	B	C	D	PN	ROSCA
02321	1/2"	28	27	16	56	PN10	BSP
02322	3/4"	45	33	17	66	PN10	BSP
02323	1"	86	41	21	99	PN10	BSP
02324	1 1/4"	142	50	23	95	PN10	BSP
02325	1 1/2"	235	61	24	114	PN10	BSP
02326	2"	412	76	28	141	PN10	BSP
02327	2 1/2"	$=0.0004 \cdot D9^3 + 0.053 \cdot D9^2 - 0.8141 \cdot D9 + 2.9664$	90	32	166	PN10	BSP
02328	3"	1102	107	35	199	PN10	BSP



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62