



PVC-U pressure fittings

Plain F/T 45° elbow

ITEM 007

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1002211	45° ELBOW PLAIN/FEM. THREADED 20-1/2"	0.016929	0.004725	1.81	100
1002212	45° ELBOW PLAIN/FEM. THREADED 25-3/4"	0.027576	0.008918	2.945	100
1002213	45° ELBOW PLAIN/FEM. THREADED 32-1"	0.052583	0.015532	5.585	100
1002214	45° ELBOW PLAIN/FEM. THREADED 40-1 1/4"	0.093291	0.031294	10.835	110
1002215	45° ELBOW PLAIN/FEM. THREADED 50-1 1/2"	0.130529	0.047171	15	110
1002216	45° ELBOW PLAIN/FEM. THREADED 63-2"	0.2416	0.047171	13.93	55
1002217	45° ELBOW PLAIN/FEM. THREADED 75-2 1/2"	0.356442	0.041172	12.49	33
1002218	45° ELBOW PLAIN/FEM. THREADED 90-3"	0.682256	0.041172	11.605	16



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 007 | Plain F/T 45° elbow

Código	A-a	Peso (g)	B	C	D	E	PN	ROSCA
02211	20-1/2"	17	27	48	16	16	PN10	BSP
02212	25-3/4"	28	33	53	19	17	PN10	BSP
02213	32-1"	52	41	63	22	21	PN10	BSP
02214	40-1 1/4"	74	50	80	26	23	PN10	BSP
02215	50-1 1/2"	131	61	95	31	24	PN10	BSP
02216	63-2"	234	75	125	38	28	PN10	BSP
02217	75-2 1/2"	358	89	140	45	32	PN10	BSP
02218	90-3"	638	107	162	51	35	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es