



PVC-U pressure fittings

Plain reducing 90° elbow

ITEM 002

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1001603	REDUCING ELBOW 90° 32*32*25	0.045	0.00892	2.42	50
1001604	REDUCING ELBOW 90° 40*40*32	0.077	0.03129	7.54	90
1001605	REDUCING ELBOW 90° 50*50*40	0.138	0.04717	14.47	100
1001606	REDUCING ELBOW 90° 63*63*50	0.286	0.04880	14.87	50
1001607	REDUCING ELBOW 90° 75*75*63	0.333	0.04717	10.68	30
1001608	REDUCING ELBOW 90° 90*90*75	0.692	0.03682	7.47	10
1001609	REDUCING ELBOW 90° 110*110*90	1.237	0.03682	7.97	6



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 002 | Plain reducing 90° elbow

Código	AxaxB	Peso (g)	C	D	E	F	PN	MEDIDA
01603	32x32x25	48	22	19	59	56	PN16	MÉTRICO
01604	40x40x32	87	26	22	65	89	PN16	MÉTRICO
01605	50x50x40	125	31	26	85	102	PN16	MÉTRICO
01606	63x63x50	274	38	31	109	122	PN16	MÉTRICO
01607	75x75x63	415	45	38	123	145	PN16	MÉTRICO
01609	110x110x90	1162	61	51	179	198	PN16	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es