





PVC-U pressure fittings

Union, plain socket - female thread socket, vsolvent socket outlet - with O-ring ITEM 082



REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.peso bruto	Unidades lote
1002084	UNION MALE /MALE W/O-RING 3/4"-25	0.076	0.00870	2.48	30
1002085	UNION MALE /MALE W/O-RING 1"-32	0.110	0.00892	2.83	24
1002086	UNION,PLAIN SOCK./M. THR. W/RING 1 1/4"-40	0.186	0.01553	4.79	24
1002087	UNION,PLAIN SOCK./M. THR. W/RING 1 1/2"-40	0.247	0.03682	15.41	60
1002088	UNION,PLAIN SOCK./M. THR. W/RING 1 1/2"-50	0.237	0.04717	14.86	60
1002089	UNION,PLAIN SOCK./M. THR. W/RING 2"-50	0.423	0.03129	10.73	24
1002090	UNION,PLAIN SOCK./M. THR. W/RING 2"-63	0.403	0.03129	10.34	24
1002091	UNION,PLAIN SOCK./M. THR. W/RING 2 1/2"-75	0.674	0.04460	15.49	22





ITEM 082 | Union, plain socket - female thread socket, vsolvent socket outlet - with O-ring

Codigo	a-A	Peso (g)	B	b	C	D	PN	ROSCA
02084	3/4" - 25	64	19	16	51	64	PN10	BSP
02085	1"-32	101	22	19	62	72	PN10	BSP
02086	1 1/4"-40	184	26	21	74	89	PN10	BSP
02087	1 1/2"-40	244	26	21	80	93	PN10	BSP
02088	1 1/2"-50	233	31	21	80	98	PN10	BSP
02089	2"-50	434	31	26	99	115	PN10	BSP
02090	2"-63	420	38	26	99	120	PN10	BSP
02091	2 1/2"-75	630	44	30	120	135	PN10	BSP



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es