



'Semi compact' ball valves

F. thread-solvent s. outlet

ITEM 727

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111S015	SEMI-COMPACT BALL V. PLAIN-FEMALE TH 50	0.6705	0.031294	10.63	15
111S016	SEMI-COMPACT BALL V. PLAIN-FEMALE TH 63	1.065	0.036816	11.2	10
111S017	SEMI-COMPACT BALL V. PLAIN-FEMALE TH 75	2.01675	0.031294	8.64	4
111S018	SEMI-COMPACT BALL V. PLAIN-FEMALE TH 90	3.4235	0.02243	7.3347	2
111S019	SEMI-COMPACT BALL V. PLAIN-FEMALE TH 110	4.518	0.044603	9.866	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 727 | F. thread-solvent s. outlet

C??DIGO PE	f-r	DN	PESO (g)	A	B	C	c	D	E	PN	TIPO ROSCA
11S015	50-1 1/2"	40	644	147	99	31	33	138	109	PN10	BSP
11S016	63-2"	50	1025	167	116	38	29	172	124	PN10	BSP
11S017	75-2 1/2"	65	2054	204	150	45	33	215	165	PN10	BSP
11S018	90-3"	80	3111	223	178	51	36	251	180	PN10	BSP
11S019	110-4"	100	4602	255	210	61	42	307	206	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es