



'Semi compact' ball valves

**M. thread-solvent s. outlet**

**ITEM 729**

| REFERENCE | DESCRIPTION                           | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|---------------------------------------|------------|---------------------------|--------------|---------------|
| 111S025   | SEMI-COMPACT BALL V. PLAIN-MALE TH 50 | 0.73713    | 0.031294                  | 11.63        | 15            |
| 111S026   | SEMI-COMPACT BALL V. PLAIN-MALE TH 63 | 1.076      | 0.036816                  | 10.76        | 10            |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## ITEM 729 | M. thread-solvent s. outlet

| C??DIGO<br>PE | f -r      | DN | PESO<br>(g) | A   | B   | C  | c  | D   | E   | PN   | TIPO<br>ROSCA |
|---------------|-----------|----|-------------|-----|-----|----|----|-----|-----|------|---------------|
| 11S025        | 50-1 1/2" | 40 | 695         | 170 | 99  | 31 | 22 | 138 | 109 | PN10 | BSP           |
| 11S026        | 63-2"     | 50 | 1080        | 193 | 116 | 38 | 25 | 172 | 124 | PN10 | BSP           |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es