



'Semi compact' ball valves

Solvent socket outlet

ITEM 726

REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111S005	SEMI-COMPACT BALL V. PLAIN SOCKET 50	0.66014	0.031294	10.399	15
111S006	SEMI-COMPACT BALL V. PLAIN SOCKET 63	1.02987	0.036816	10.92	10
111S007	SEMI-COMPACT BALL V. PLAIN SOCKET 75	2.043275	0.031294	8.67	4
111S008	SEMI-COMPACT BALL V. PLAIN SOCKET 90	3.28425	0.022435	6.996	2
111S009	SEMI-COMPACT BALL V. PLAIN SOCKET 110	4.74935	0.03129	10.12	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 726 | Solvent socket outlet

CÓDIGO PE	f	DN	PESO (g)	A	B	C	D	E	PN	MEDIDA
11S005	50	40	626	143	99	31	138	109	PN10	MÉTRICO
11S006	63	50	980	165	116	38	172	124	PN10	MÉTRICO
11S007	75	65	2043	214	150	45	215	165	PN10	MÉTRICO
11S008	90	80	3046	235	178	51	251	180	PN10	MÉTRICO
11S009	110	100	4317	272	210	61	307	206	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es