




## PVC-U pressure fittings

# Spigot connection male thread

## ITEM 906

| REFERENCE | DESCRIPTION                      | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|----------------------------------|------------|---------------------------|--------------|---------------|
| 1002961   | SPIGOT CONNECTION M/TH 3/4"-20   | 0.0196     | 0.00891                   | 2.139        | 100           |
| 1002962   | SPIGOT CONNECTION M/TH 1"-32     | 0.036      | 0.00891                   | 2.85         | 70            |
| 1002964   | SPIGOT CONNECTION M/TH 1 1/2"-50 | 0.085183   | 0.02243                   | 3.895        | 40            |
| 1002965   | SPIGOT CONNECTION M/TH 2"-63     | 0.11322    | 0.00891                   | 2.025        | 15            |





## ITEM 906 | Spigot connection male thread

| Código | r x d     | Peso (g) | B   | C  | D  | E  | PN   | ROSCA |
|--------|-----------|----------|-----|----|----|----|------|-------|
| 02961  | 3/4"-20   | 17       | 62  | 17 | 36 | 27 | PN10 | BSP   |
| 02962  | 1"-32     | 55       | 78  | 21 | 36 | 47 | PN10 | BSP   |
| 02964  | 1 1/2"-50 | 83       | 89  | 22 | 50 | 57 | PN10 | BSP   |
| 02965  | 2"-60     | 110      | 100 | 26 | 65 | 60 | PN10 | BSP   |



## Product Documents



## Product Certificates



## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es