



Spare parts


Threaded male outlet - Range combination

ITEM 962



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111D895	BIDIR. BALL V. THREADED MALE OUTLET 1/2"	0.0458	0.00891	2.937	60
111D896	BIDIR. BALL V. THREADED MALE OUTLET 3/4"	0.064065	0.00891	2.75	40
111D897	BIDIR. BALL V. THREADED MALE OUTLET 1"	0.097222	0.01553	6.16	60
111D898	BIDIR. BALL V. THREADED MALE OUTLET 1 1/4"	0.169154	0.01553	5.063	28
111D899	BIDIR. BALL V. THREADED MALE OUTLET 1 1/2"	0.26934	0.01553	8.4069	30
111D918	BIDIR. BALL V. THREADED MALE OUTLET 2"	0.4123	0.03129	10.47	24
111D919	BIDIR. BALL V. THREADED MALE OUTLET 2 1/2"	0.69	0.02243	7.369	10
111D920	BIDIR. BALL V. THREADED MALE OUTLET 3"	1.225	0.03682	5.4492	4





ITEM 962 | Threaded male outlet - Range combination

CÓDIGO	Ø	PESO(g)	A	B	C	PN	MEDIDA
11D895	1/2"	46	36	52	14	PN10	MÉTRICO
11D896	3/4"	63	40	59	16	PN10	MÉTRICO
11D897	1"	81	47	70	19	PN10	MÉTRICO
11D898	1 1/4"	157	52	84	21	PN10	MÉTRICO
11D899	1 1/2"	269	60	99	22	PN10	MÉTRICO
11D918	2"	412	67	121	25	PN10	MÉTRICO
11D919	2 1/2"	690	82	151	31	PN10	MÉTRICO
11D920	3"	1225	91	175	33	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es