





PVC-U pressure fittings

Union coupling solvent socket outlet ANSI ITEM 953



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1001978	ANSI' UNION COUPLING SOLV. SOCK. OUT. 1"	0.025	0.00472	0.6171	20
1001980	ANSI' UNION COUPLING SOLV. SOCK. OUT. 1 1/2"	0.043	0.00472	0.5471	10
1001981	ANSI' UNION COUPLING SOLV. SOCK. OUT. 2"	0.074	0.00472	0.8571	10
1001982	ANSI' UNION COUPLING SOLV. SOCK. OUT. 2 1/2"	0.166	0.00472	1.7771	10





ITEM 953 | Union coupling solvent socket outlet ANSI

Codigo	A	Peso (g)	B	C	D	E	PN	MEDIDA
01976	1/2"	8	27	16	19	30	PN16	MÉTRICO
01977	3/4"	20	35	19	22	39	PN16	MÉTRICO
01978	1"	25	41	22	26	45	PN16	MÉTRICO
01979	1 1/4"	36	50	26	35	63	PN16	MÉTRICO
01980	1 1/2"	43	63	31	44	63	PN16	MÉTRICO
01981	2"	74	76	38	41	78	PN16	MÉTRICO
01982	2 1/2"	166	87	44	48	85	PN16	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es