




Accesorios de presión PVC-U

Te 90° Enc. R/H Reforzada

ITEM 436

REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m ³)	Peso bruto	Unidades lote
1002180	TE 90° ENCOLAR-R/H CENTRO REF. 20-1/2"	0.031426	0.008918	3.33	100
1002181	TE 90° ENCOLAR-R/H CENTRO REF. 25-3/4"	0.050853	0.015532	5.412	100
1002182	TE 90° ENCOLAR-R/H CENTRO REF. 32-1"	0.0904	0.022435	6.817	70
1002183	TE 90° ENCOLAR-R/H CENTRO REF. 40-1 1/4"	0.165	0.036816	13.82	80
1002184	TE 90° ENCOLAR-R/H CENTRO REF. 50-1 1/2"	0.218	0.047171	14.93	65
1002185	TE 90° ENCOLAR-R/H CENTRO REF. 63-2"	0.3689	0.063473	14.849	38
1002186	TE 90° ENCOLAR-R/H CENTRO REF. 75-2 1/2"	0.575	0.047171	12.1205	20
1002187	TE 90° ENCOLAR-R/H CENTRO REF. 90-3"	1.05485	0.047171	13.3	12
1002188	TE 90° ENCOLAR-R/H CENTRO REF. 110-4"	1.68515	0.06149	17.77	10





ITEM 436 | Te 90° Enc. R/H Reforzada

Código	A-a	Peso (g)	B	C	D	E	PN	ROSCA
02180	20-1/2"	34	27	16	56	16	PN10	BSP
02181	25-3/4"	56	33	19	66	17	PN11	BSP
02182	32-1"	96	41	22	79	21	PN12	BSP
02183	40-1 1/4"	165	50	26	95	23	PN13	BSP
02184	50-1 1/2"	218	61	31	114	24	PN14	BSP
02185	63-2"	352	75	38	141	28	PN15	BSP
02186	75-2 1/2"	575	90	45	166	32	PN16	BSP
02187	90-3"	1022	108	51	199	35	PN17	BSP
02188	110-4"	1562	131	61	238	39	PN18	BSP



Documentación de Producto



Certificados de Producto



Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es