





## Collarines Bisagra PPFV

# Boca salida r/h

## ITEM 145

| REFERENCIA | DESCRIPCIÓN                             | Peso<br>neto | Volumen<br>(m³) | Peso<br>bruto | Unidades<br>lote |
|------------|-----------------------------------------|--------------|-----------------|---------------|------------------|
| 1005600    | BOCA COMUN 160-400 S/ROSCAR REF. 1/2"   | 0.565275     | 0.01553         | 7.11          | 12               |
| 1005601    | BOCA COMUN 160-400 S/ROSCAR REF. 3/4"   | 0.526        | 0.01553         | 7.045         | 12               |
| 1005602    | BOCA COMUN 160-400 S/ROSCAR REF. 1"     | 0.553608     | 0.01553         | 6.97          | 12               |
| 1005603    | BOCA COMUN 160-400 S/ROSCAR REF. 1 1/4" | 0.487        | 0.031294        | 6.404         | 12               |
| 1005604    | BOCA COMUN 160-400 S/ROSCAR REF. 1 1/2" | 0.505692     | 0.01553         | 6.395         | 12               |
| 1005605    | BOCA COMUN 160-400 S/ROSCAR REF. 2"     | 0.5435       | 0.02243         | 7.095         | 12               |
| 1005606    | BOCA COMUN 160-400 S/ROSCAR REF. 2 1/2" | 0.546        | 0.031294        | 7.125         | 12               |
| 1005607    | BOCA COMUN 160-400 S/ROSCAR REF. 3"     | 0.608        | 0.02243         | 7.78          | 12               |
| 1005608    | BOCA COMUN 160-400 S/ROSCAR REF. 4"     | 0.65725      | 0.031294        | 8.46          | 12               |





## ITEM 145 | Boca salida r/h

| C??DIGO | d      | f tubo                  | PESOS | A   | B  | PN  | TIPO ROSCA |
|---------|--------|-------------------------|-------|-----|----|-----|------------|
| 05600   | 1/2"   | 160-200-225-250-315-400 | 546   | 160 | 16 | PN6 | BSP        |
| 05601   | 3/4"   | 160-200-225-250-315-400 | 526   | 160 | 19 | PN6 | BSP        |
| 05602   | 1"     | 160-200-225-250-315-400 | 506   | 160 | 22 | PN6 | BSP        |
| 05603   | 1 1/4" | 160-200-225-250-315-400 | 487   | 160 | 26 | PN6 | BSP        |
| 05604   | 1 1/2" | 160-200-225-250-315-400 | 467   | 160 | 31 | PN6 | BSP        |
| 05605   | 2"     | 160-200-225-250-315-400 | 530   | 160 | 38 | PN6 | BSP        |
| 05606   | 2 1/2" | 160-200-225-250-315-400 | 566   | 160 | 44 | PN6 | BSP        |
| 05607   | 3"     | 160-200-225-250-315-400 | 561   | 160 | 51 | PN6 | BSP        |
| 05608   | 4"     | 160-200-225-250-315-400 | 668   | 160 | 61 | PN6 | BSP        |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es