




Electrofusión / Soldadura tope

Toma en carga S/rotativa 360°

ITEM 423

REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m³)	Peso bruto	Unidades lote
1019240	TOMA EN CARGA S/ROTATIVA 360° 63-32	0.2321	0.022435	1.88	6
1019241	TOMA EN CARGA S/ROTATIVA 360° 63-63	1.4234	0.031294	7.69	5
1019242	TOMA EN CARGA S/ROTATIVA 360° 90-32	0.646	0.022435	2.478	3
1019243	TOMA EN CARGA S/ROTATIVA 360° 90-63	1.5014	0.031294	8.08	5
1019244	TOMA EN CARGA S/ROTATIVA 360° 110-32	0.8408	0.022435	3.01	3
1019245	TOMA EN CARGA S/ROTATIVA 360° 110-63	1.142433	0.022435	3.915	3





ITEM 423 | Toma en carga S/rotativa 360°

Código	f tubo-A-a	Peso (g)	B	C	PN	MEDIDA
19157	63-32	715	35	94	PN16	MÉTRICO
19158	63-63	1455	54	94	PN16	MÉTRICO
19159	90-32	801	35	115	PN16	MÉTRICO
19160	90-63	1541	54	115	PN16	MÉTRICO
19161	110-32	860	35	125	PN16	MÉTRICO
19162	110-63	1590	54	125	PN16	MÉTRICO





Documentación de Producto



Certificados de Producto

Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es