



Electrofusión / Soldadura tope

Toma modular electrofusión

ITEM 166

REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m ³)	Peso bruto	Unidades lote
1019157	TOMA MODULAR ELECTROFUSION 63-63	0.31866	0.015532	1.92	5
1019158	TOMA MODULAR ELECTROFUSION 75-63	0.48066	0.015532	2.73	5
1019159	TOMA MODULAR ELECTROFUSION 90-63	0.63946	0.022435	3.685	5
1019160	TOMA MODULAR ELECTROFUSION 110-63	0.644433	0.015532	2.26	3
1019161	TOMA MODULAR ELECTROFUSION 125-63	0.632767	0.015532	2.225	3
1019162	TOMA MODULAR ELECTROFUSION 140-63	0.509433	0.015532	1.855	3
1019163	TOMA MODULAR ELECTROFUSION 160-63	0.4941	0.022435	1.97	3
1019164	TOMA MODULAR ELECTROFUSION 200-63	0.63416	0.01553	2.39018	3



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es




ITEM 166 | Toma modular electrofusión

Código	f tubo-A-a	Peso (g)	L	PN	MEDIDA
19157	63-63	335	165	PN16	MÉTRICO
19158	75-63	465	165	PN16	MÉTRICO
19159	90-63	425	165	PN16	MÉTRICO
19160	110-63	493	165	PN16	MÉTRICO
19161	125-63	523	165	PN16	MÉTRICO
19162	140-63	543	165	PN16	MÉTRICO
19163	160-63	595	165	PN16	MÉTRICO
19164	200-63	651	165	PN16	MÉTRICO





Documentación de Producto



Certificados de Producto

Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es