




PP Compression Fittings

Enlace recto mixto - macho

ITEM 476

REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m³)	Peso bruto	Unidades lote
112E037	ENLACE RECTO M/MACHO 20-1/2" GRIS	0.04724	0.015532	5.051	100
112E038	ENLACE RECTO M/MACHO 25-3/4" GRIS	0.0748	0.03129	8.052	100
112E039	ENLACE RECTO M/MACHO 32-1" GRIS	0.11104	0.0446	11.798	100
112E040	ENLACE RECTO M/MACHO 40-1 1/4" GRIS	0.1835	0.036484	10.87	56
112E041	ENLACE RECTO M/MACHO 50-1 1/2" GRIS	0.294628	0.044603	12.515	40
112E042	ENLACE RECTO M/MACHO 63-2" GRIS	0.51	0.061499	15.2	28
112E043	ENLACE RECTO M/MACHO 75-2 1/2" GRIS	0.842	0.036816	9.04	10
112E044	ENLACE RECTO M/MACHO 90-3" GRIS	1.378	0.031294	7.45	5
112E045	ENLACE RECTO M/MACHO 110-4" GRIS	1.965	0.022435	4.47	2
112E236	ENLACE RECTO M/MACHO 20-3/4" GRIS	0.065	0.01553	6.83	100
112E237	ENLACE RECTO M/MACHO 25-1/2" GRIS	0	0.03129	0	100
112E238	ENLACE RECTO M/MACHO 25-1" GRIS	0.076	0.031294	8.16	100
112E239	ENLACE RECTO M/MACHO 32-3/4" GRIS	0.11	0.036484	11.7	100
112E241	ENLACE RECTO M/MACHO 50-2" GRIS	0.307	0.0446	13.01	40
112E246	ENLACE RECTO M/MACHO 75-2" GRIS	0	0.03682	0	10





ITEM 476 | Enlace recto mixto - macho

Código	f tubo - F	Peso (g)	A	B	C	D	E	PN	TIPO ROSCA
12E037	20 - 1/2"	45	21	46	61	=F3+H3	14	PN16	BSP
12E236	20 - 3/4"	65	21	46	61	77	16	PN16	BSP
12E237	25 - 1/2"	72	26	66	66	80	14	PN16	BSP
12E038	25 - 3/4"	75	26	55	66	=F6+H6	16	PN16	BSP
12E238	25 - 1"	80	26	55	66	=F7+H7	19	PN16	BSP
12E239	32 - 3/4"	102	33	64	73	=F8+H8	16	PN16	BSP
12E039	32 - 1"	107	33	64	73	=F9+H9	19	PN16	BSP
12E040	40 - 1 1/4"	171	42	76	91	=F10+H10	20	PN16	BSP
12E041	50 - 1 1/2"	272	51	91	97	=F11+H11	21	PN16	BSP
12E241	50 - 2"	280	51	91	97	122	25	PN16	BSP






ITEM 476 | Enlace recto mixto - macho

12E042	63 - 2"	434	64	109	114	=F13+H13	25	PN16	BSP
12E246	75 - 2"	794	77	133	139	164	25	PN10	BSP
12E043	75 - 2 1/2"	806	77	133	139	=F15+H15	30	PN10	BSP
12E044	90 - 3"	1378	92	159	169	=F16+H16	37	PN10	BSP
12E045	110 - 4"	1965	112	183	182	=F17+H17	40	PN10	BSP





Documentación de Producto



Certificados de Producto

Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es