




Válvulas de bola 'Basic'

Salida termofusión - PTFE - Sistema Basic ITEM 494



REFERENCIA	DESCRIPCIÓN	Peso neto	Volumen (m ³)	Peso bruto	Unidades lote
1011450	VALVULA ENLACE S/TERMO 20 PTFE	0.155	0.015532	6.44	40
1011451	VALVULA ENLACE S/TERMO 25 PTFE	0.194	0.031294	8.3	40
1011452	VALVULA ENLACE S/TERMO 32 PTFE	0.381927	0.03682	12.007	30
1011453	VALVULA ENLACE S/TERMO 40 PTFE	0.538	0.036484	11.32	20
1011454	VALVULA ENLACE S/TERMO 50 PTFE	0.782	0.031294	12.29	15
1011455	VALVULA ENLACE S/TERMO 63 PTFE	1.218	0.06149	13.1005	10
1011456	VALVULA ENLACE S/TERMO 75 PTFE	2.64	0.047171	11.12	4
1011457	VALVULA ENLACE S/TERMO 90 PTFE	4.21	0.047171	9.0618	2
1011458	VALVULA ENLACE S/TERMO 110 PTFE	6.5276	0.044603	13.785	2





ITEM 494 | Salida termofusión - PTFE - Sistema Basic

CÓDIGO	Ø	PESO (g)	DN	A	B	C	D	E	PN	MEDIDA
11450	20	155	15	215	52	65	78	47	PN16	MÉTRICO
11451	25	194	20	222	59	62	84	51	PN16	MÉTRICO
11452	32	312	25	221	70	45	97	66	PN16	MÉTRICO
11453	40	538	32	260	84	63	128	72	PN16	MÉTRICO
11454	50	782	40	287	99	79	142	77	PN16	MÉTRICO
11455	63	1218	50	328	121	89	165	90	PN16	MÉTRICO
11456	75	2640	65	366	151	95	222	121	PN10	MÉTRICO
11457	90	4210	80	397	175	97	244	141	PN10	MÉTRICO
11458	110	6527	100	435	210	102	307	155	PN10	MÉTRICO





Documentación de Producto



Certificados de Producto

Certificados de Empresa



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención
Técnica comercial
+ 34 966 105 888



www.hidroten.es