




## Brides et prote-bridés

# Bride taraudée en acier galvanisé

## ITEM 431

| RÉFÉRENCE | DESCRIPTION                 | Poids net | Volume (m³) | Poids brut | Unités par lot |
|-----------|-----------------------------|-----------|-------------|------------|----------------|
| 1010586   | BRIDA ACERO GALV R/H 2"     | 2.315     | 0.00708     | 9.5011     | 4              |
| 1010587   | BRIDA ACERO GALV R/H 2 1/2" | 2.875     | 0.00708     | 11.7411    | 4              |
| 1010588   | BRIDA ACERO GALV R/H 3"     | 3.47      | 0.00708     | 14.1211    | 4              |
| 1010589   | BRIDA ACERO GALV R/H 4"     | 4.105     | 0.00708     | 16.6611    | 4              |





## ITEM 431 | Bride taraudée en acier galvanisé

| Código | A      | Peso (g) | K   | C  | D    | PN   | ROSCA |
|--------|--------|----------|-----|----|------|------|-------|
| 10586  | 2"     | 2010     | 125 | 12 | 4x18 | PN10 | BSP   |
| 10587  | 2 1/2" | 2290     | 145 | 13 | 4x18 | PN10 | BSP   |
| 10588  | 3"     | 2425     | 160 | 13 | 4x18 | PN10 | BSP   |
| 10589  | 4"     | 2875     | 170 | 13 | 8x18 | PN10 | BSP   |





## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es